Secrt. II-27—40,0[illegible] 4-35—10—30.

Home (193[illegible]) Department

No SERIES.

G.O. No. 4354

DATED 7-9-35

[Despatch Abstract.]

Chalcraft Mr - Junior Centralised Admn. Bellary Hon. Inspection Report of inspection -

Papers recorded

1

THE MADRAS CHILDREN'S AID SOCIETY

(INCORPORATED UNDER ACT XXI OF 1860)

Girls' Senior and Junior Certified School :
"THE RETREAT," PURASAWALKAM HIGH ROAD,
KILPAUK. PHONE 2749.

Girls' Remand Home.
37, RAJA ANNAMALAI CHETTIAR ROAD, VEPERY.

Secretary
~~MRS. M. RATCLIFFE~~
Mrs. Dorothy Jinarajadasa.

Jt. Hon. Secretaries :
MRS. M. N. CLUBWALLA.
M.R.RY. K. SANJIVA KAMATH AVL.

Treasurer :
RAO BAHADUR R. KRISHNA RAO BHONSLE, I.S.O.

Chief Probation Officer :
MR. K. PALANI.

HOME SECRETARY
31 MAR 1938
GOVT OF MADRAS

PATRON
H. E. THE LORD ERSKINE, G.C.I.E.
PRESIDENT
SIR MAHOMED USMAN, K.C.I.E.

Office,
Juvenile Court,
Boys' Remand Home and Club :
38, GANGATHESWARER KOVIL ROAD,
VEPERY, MADRAS.
PHONE: 2283

1777 C
31/3

NO. 1196 DATED, 28th Mar. 1938.

From

Mrs. Dorothy Jinarajadasa,
Honorary Inspectress of Certified Schools,
38, Gangatheswarar Koil Street,
Vepery, M a d r a s.

To

The Chief Inspector of Certified Schools,
Mount Road,
Madras.

Sir,

H.J.2-7 misc

I have the honour to enclose herewith a report of the inspection of the Junior Certified School for boys, Bellary, by me on 10-3-38.

I have the honour to be,
Sir,
Yours faithfully

Dorothy Jinarajadasa.

Honorary Inspectress of
Certified Schools.

Copy to,

H. M. Hood, Esq.,C.I.E., I.C.S.
Secretary to Government
Home Department
Madras.

28th March 1

I N S P E C T I O N - R E P O R T

Of Junior Certified School for Boys, Bellary

on 10 - 3 - 38.

----------ooo----------

The Junior Certified School at Bellary was inspected by me on 10-3-38. There were 187 boys on the rolls. 4 boys were in the hospital, 3 were for fever and 1 for dysentry.

Attendance of the Junior Certified School, Bellary on 10-3-38.

Educational Classes:

Morning:				Evening:		
Class.	No.on rolls.	No. present	Class.	No.on rolls.	No.present	
IV Tamil	16	16	V Tamil	13	13	
III " A	26	25 (1 sick)	V Telugu	5	5	
III " B	26	26	IV "	6	6	
II Telugu	20	20	III "	14	14	
I "	25	25	II Tamil A	43	42	(1 sick.)
I Tamil A	32	32	II " B	42	42	
I " B	33	32 (1 sick)	I " C	33	33	
			I " D	31	29	(2 sick)
Total ..	178	176(2sick)		187	184(3sick)	

Industrial Classes:

Morning:			Evening:		
Class.	No.on rolls.	No. present.	Class.	No.on rolls.	No.prese
Carpentry	75	74 (1 sick)	..	47	47
Weaving	39	37 (2 ")	..	44	43(1 sick
Tailoring	61	61	..	51	50(1 "
Laundry	6	6	..	12	12
Gardening	6	6	..	24	24
Total	187	184 (3 sick)		178	176 (2sick

I was informed much to my regret that the Resident Medical Officer, who is also the Assistant Superintendent, passed away a few days before I visited the school. This post should be filled with a really suitable man as soon as possible.

CLASSES. I went round to all the classes and work-shops and found everything going on quite satisfactorily. There is for the present a sufficient number of teachers. The headmaster is a Telugu trained teacher. There is one other Telugu trained teacher and five Tamil teachers. I tested some of the boys and found their reading and recitation good. Several boys, who when sent from Madras to the school a few months ago were quite illiterate are now able to read nicely; the teachers appear to take an interest in the progress of the boys. The Industrial classes were working well.

WORKSHOPS The carpentry department is now very active. This is in charge of two instructors. Recently at the District Educational Exhibition held in Bellary the boys won three Certificates of Merit for carpentry and weaving. I saw the furniture that was exhibited, which was well made and finished. As this department is the most useful for the training of the boys I recommend that it be enlarged. It is more easy to establish a boy in life after his discharge from the school if he is trained in carpentry than in any other work; therefore, I strongly recommend that the carpentry workshop be enlarged and at least ten more benches provided. This will only necessitate the supply of teak wood for the benches, as the work of construction can be done by the boys themselves.

BATHING. The boys in this school bathe every day. Half the number midday, and the rest after evening games. The arrangements for bathing are not yet satisfactory but I understand that an open shower bath is proposed and for which sanction is obtained. This work should be expedited as the additional bathing arrangements should be working before the beginning of the hot weather.

KITCHEN. The kitchen arrangements continue as formerly, and are most unsatisfactory. In my previous report

In these ~~small~~ bags the boys have their towel, soap, pencil, etc This bag is made up of pieces of Khaki cloth that is of no use in the tailoring department. They are mostly made from the disc r clothing of the boys. I recommend all the Certified Schools f boys to adopt the use of such bags.

The arrangement with regard to washing the clothes and distr buting clean clothes continues to be quite satisfactory.

The whole school and compound is clean and tidy. Trees sho be planted as the heat and glare is intense at midday. Trees whi grow quickly and do not require too much water or care should be planted, such as Neem and -

Classes and indoor games in the evening, under the supervision of the housemasters, go on as usual.

I found the tone in the Boys' Junior Certified School to be goo The boys are happy and doing their work well and they have a spirit of cooperation with their superintendent and teachers. From perso talk with the boys themselves it was quite evident that they were contented in the school and were happy and had an affection and respect for their teachers and superintendent. As most of these boys come from very bad homes, or no homes at all and have been living vagabond, more or less criminal lives, it is of the utmost importance that they should find in the school not only a place where they receive education but also an atmosphere that will give them a touch of the home-life that they have missed. I was very gla to be assured at Bellary that the boys there are really happy and receiving an education to equip them for their future life

I wish again to repeat what I have said in previous reports that I feel more strongly than ever what a pity it is and how economically wasteful it is, that the Government are allowing these most excellent buildings to crumble away when they are urgently needed for use. It is a tragically unsound policy to let this large compound full of good and useful buildings to fall to pieces when the Chinglepet Boys'n School is so over-crowded, and the Junior Boys' Certified School is rapidly growing, and grow it must as the Government recognizes its duty and responsibility to the destitute and erring boys.

There is a large area on the north side of the compound that could be most suitably made into a Senior Certified School for Telugu boys. In this area there are two or three large dormitory blocks. There is a block suitable for school rooms, there are thr three kitchens and a large latrine, and another block consisting of two very good rooms, and near the fence a house that could accomodate the Superintendent or some member of the staff. Adjacent there is the very large workshop building round a grass courtyard that was formerly used by the jail. All this area is simply asking to be used as a school and it is a terrible waste of material not to have these buildings repaired <u>now</u>, before they crumble away, for the accomodation of the large number of boys who are urgently needing them. If the buildings in this area are made into a Telugu Senior Certified School, then the workshop block could be used both by the boys of the Senior and Junior Certified Schools. The equipment of the existing workshops would have to be slightly increased and blacksmith, shoe-making, pottery and other crafts and trades might be added.

There is a very good block between the prospective Senior Certified School and the present Junior Certified School which would be most suitable for a hospital and the present Junior ~~Senior~~ Certified School Hospital could well be moved from where it is no., at the end of one of the dormitories used for sleeping. There are still atleast five good, large buildings that can be used as the need arises for the development of the Junior Certified School

between the present school and the staff quarters. These buildings should not be allowed to fall to pieces.

This is I believe the 4th time I have drawn the attention of Government to the great possibility that there is for the creating of a fine school at Bellary for boys. The whole building scheme is there now, but the buildings are rapidly falling to pieces for want of care. Lacs of rupees were spent in the past on erecting these buildings now going to waste and ruin, if the buildings were useless that might be allowed, but every building on that compoun is needed for the education and training of the boys of Madras Presidency who are homeless and destitute and who if left in their sorry condition can only grow up as vagrants and criminals and then when the opportunity to educate and train the boy has gone, the grown up man becomes an expensive danger to the State and has to be accomodated in Jail.

In suggesting the development of the Bellary School I do not consider that Ranipet School should be abolished. That school is needed for younger boys between the ages of 8 - 12. Please see my report on the Ranipet School dated 16-10-37.

para 16 m/s 15
G.O. 1621
26 3-38
(D)

Dorothy Jinarajadasa

Honorary Inspectress of
Certified Schools.

Home Dept

Memo No. 11777G-1 Dt/ 23-5-38.

Children Act - J.C. School, Bellary - Inspection Report of the Hony. Inspectress of Certified Schools

16
23/5
(Not issued)

The attention of the C-I. of Certified Schools is invited to the report of the Hony. Inspectress, on the working of the J.C. School, Bellary, sent with her letter No. 1196 dt 28-3-38, and he is requested to say when ~~the Report in question will be forwarded to Govt with~~ his remarks ~~thereon~~ on the SH report may be expected.

for Secy.

C.I. of Certified Schools.

SH
19/5

VCS
18.5.38.

C.F. 36.

J A I L DEPARTMENT.

9

176926

Received 19 MAY 19[illegible] 19 — HOME DEPARTMENT

Registered 19/5 19

Subject.

Honorary Inspectress of Certified Schools - Junior Certified School, Bellary - Inspection Report - Remarks submitted.

81

ENCLOSURES.
No.
Spare copies

R.O.C. No. 1218/S2/38

Station Madras., *Dated the* 17th May 19 38

From (Name) Lieut-Col.S.C.Contractor, M.B., I.M.S.,
(Designation) Inspector General of Prisons.
& Chief Inspector OF Certified Schools.

To The Secretary to the Government of Madras,
HOME Department.

Sir,

I submit my remarks on the Inspection report of the Honorary Inspectress of Certified Schools on the working of the Junior Certified School, Bellary.

(2) It is stated in her report that there were 187 boys on the rolls. This is evidently a clerical error as there were 365 boys on rolls on 10th March 1938 the day of her inspection. The health of the boys continues to be satisfactory.

(3) Applications for filling in the post of the medical officer and Assistant Superintendent have been called for and a suitable candidate will be posted before

before 10th June 1938.

(4) WORKSHOP:

There are at present 6 work benches in the carpentry section of the School. These benches were considered insufficient for the carpentry class by the Inspector of Industrial Schools also, when he visited the School recently. The Superintencent, Junior Certified School, Bellary was asked to submit an indent for additional tools and work benches for sanction.

(5) BATHING:

The Superintendent reports that the open shower bath arrangements are ready now. This can be put into use only when the water from the Alipuram tank or Municipal source is laid on as it is stated that the water from the Artesian Well does not force its way through this shower bath arrangement for want of sufficient pressure. I have asked the Superintendent to consult the Public Works Department in the matter.

KITCHEN:

The Public Works Department, it is understood have not made provision, for the ovens required ... iron undahs used and a chimney for the escape of smoke in their estimate. Hence the estimates are being revised by the Public Works Department and the work suspended temporarily. The Superintendent has been asked to request the Executive Engineer to push on with this work without any further delay.

(7) LIGHTING:

The Superintendent has been asked to address the Electrical Engineer for providing additional Electric lights wherever necessary.

(8) LATRINES:

An estimate for providing 14 more seats has been called for from the Superintendent for sanction. The Superintendent is being asked whether the old latrines of the Alipuram Jail could be repaired and put to use for the boys providing for more latrine accommodation.

(9) Houses and Bags:

This system is being introduced in all certified schools.

(10) The question of opening a Senior Telugu Section at Bellary is still under contemplation and the rough details are awaited from the Executive Engineer, Bellary.

Lieut-Col., I.M.S.,
Inspector General of Prs.
&
Chief Inspector of Certified Schools.

S.17/5

17

P.W.D.

D.M. 2972 C/38-17 18-7-38

Buildings - Bellary -
Junior certified School.
Constn of a new kitchen
and dining hall

Extracts from the reports of the Hony. Inspectress of certified Schools in her No. 1196/28.3.38 and the remarks of the Chief Inspectress of certified schools in his No. 1218/52/3 /17.5.38 relating to delay in the execution of the new kitchen for the junior certified School for boys at Bellary are forwarded to the C.E. (G.B.S.R.). The delay in such matters is most unsatisfactory. The C.E. is requested to take special steps for the speedy execution of the work and to report when it will be completed. He is also requested to investigate the causes of delay and report whether it could not have been avoided

16/7

16.7.38

16/7

P.'s in 2 marked in red with pp 3-4 encd to C.E.

Dpd. by Van / Post / Messenger
Dpr.'s in ref. No.
Date 193

To the C.E. (G.B.S.R.) with encl. Copy for Section

Home Department

15/1/8 1/8

Memo No. 11777G-3 d/ 11-8-38

Junior Certified School, Bellary - Inspection Report of the Hony Inspectress.

---

pp9-11cf

From the C.I. of Certified Schools . No.1218/S2/38, dated 17-5-38 .

The C.I has reported that applications for filling up the vacancy caused by the death of the Resident Medical Officer have been called for and that a suitable candidate will be posted. He is requested to report - whether the officer has/since been appointed.

para 1 p2 mf

2. As regards the shower bath arrangements, the C.I. has reported that arrangements are ready but could not be put into use as the water does not force its way through the shower bath arrangements, for want of sufficient pressure and that P.W.D has been consulted in the matter. The C.I is requested to report the result of the Headmaster's consultation with the P.W.D.

h 10 cf

para 3 p2 mf

3. The C.I has reported that the Headmaster has been asked to address the Electrical Engineer for providing addl. lights wherever necessary. The C.I. is requested to report in due course the further development in the matter.

h 10 cf

para 5 p3 mf

14

4. With reference to the Hony. Inspectress's report regarding the latrine arrangements, the C.I has reported that the Headmaster was asked to say whether the old latrines of the Alipuram Jail could be repaired and allotted for the use of the boys. The C.I. is requested to report what further progress has been made.

SN 29/7

Vcl 29.7.38

To The C.I. of Certified Schools, Madras.

15

C.F. 30.

Jail DEPARTMENT.

27736 (9)
1378

Received ..... 19 *Registered* 19



Subject.

Junior Certified School, Bellary - Inspection report of the Honorary Inspectress of Certified Schools - Ref.--Government Memorandum No.1777/G3,Home,dated the 1st August 1938 -

pp 13-19 ale

ENCLOSURES.
No. .....
.....
Spare copies .....

No.1218/S2/38.

Station Mount Road,Madras. *Dated the* 10th August 19 38.

From (Name) Lieut-Col.S.C.Contractor,M.B.,I.M.S.,
(Designation) Inspector-General of Prisons.
& Ch.Inspr.of Certified Schools.

To The Secretary to the Government of Madras,
Home Department.

Sir,

The Resident Medical Officer was appointed since 1st June 1938.

2. The Public works Department tried to work the showe bath arrangements from the water available in the Artesian Well but they could not work it for want of sufficient pressure Therefore the only course left open to work the shower-bath is to wait till the Alipuram Tank gets filled, when water - can be pumped to the overhead tanks and connected to the shower bath arrangements.

3. The necessary estimate is under preparation by the Electrical Supervisor who visited the school recently to take measurements,etc.

4. Fifteen additional seats have since been added to the general latrine and the seats are now enough for the requirements. Therefore there is no necessity to - repair the old Alipuram latrines for use of the Certified School pupils.

Lieut-Col.I.M.S.,

vss.12/8. Ch.Inspr.of Certified Schools.

17

1177C. Home Dept.

~~H~~ HCF. From the Hony. Inspectress of Certified Schools

No. 1196 dy 28-3-38

Subject. Report on the inspection of the Junior certified School, Bellary.

U.S.

The Hony. Inspectress of certified Schools has subd. direct to Govt. a copy of her inspection report on the Junior certified School, Bellary. Subd. that the remarks of the Chief Inspector on the observations of the Hony. Inspectress may be awaited for a month.

HJ 2-7 CF

Dom.
5.4.38.

[illegible]
5.4.38.

[illegible]
12/4

S

[illegible]
14.4

The remarks of ~~the~~ C.I. on the Hony. Inspectress' report has not yet been received. He may be asked when it may be expected.

A draft memo is submitted for approval.

[illegible]
20/5

SH
17/5

VTS
18.5.38

pp9-11 cf

(From the C.I. of C.Ss.No.1218/S2/38, dated 17-5-38)

M 2-7 cf

The C.I. of Certified Schools has offered his remarks on the inspection report of the Honorary Inspectress on the Junior Certified School, Bellary. The various suggestions made by her and the C.I's remarks thereon are examined below:

'A' on p3 cf

pp9-10 cf

(1) The Hony. Inspectress has stated that the vacancy caused by the death of the Resident Medical Officer should be filled up with a suitable man as soon as possible. The C.I. has reported that applications for filling up the vacancy have been called for and that a suitable candidate will be posted before 10th June 1938. The Government have also raised the scale of the medical officer from Rs.50 to Rs.50 - 10- 80. ~~It was pointed out that the post was~~ ~~already filled up.~~ No action is called for.

para 3 p9 cf
Cl. may be asked whether an Asst. Supt. has been appointed yet. ffr. 2/7

'B' on p3 cf

(2) With reference to her suggestion that the carpentry work shop should be enlarged, the C.I has called for from the Supdt. of the School, an indent for additional tools and work branches for sanction. No action is called for.

para 4 p10 cf

p3 cf

(3) The Hony. Inspectress reported that the proposed shower bath arrangements should be expedited. It is now reported that the arrangements are ready, but ~~the~~ could not be put into use, as the water from the Artesian well does not force its way through the shower both arrangements for want of sufficient pressure. The C.I. has consulted P.W.D. in the matter.

✗ under dispute as to ownership

~~It may be asked to report to Government whether the Local Govt. consultation is quite right.~~

para 5 p10 cf

[It may be noted that the question relating to the ownership of the artesian well is being considered separately.] Perhaps the C.I. may be asked to report the result of ~~of~~ ~~the~~ consultation with the P.W.D.

ffr 2/7

Supdt

(4) As regards the Inspectress's observations regarding the kitchen arrangements, the C.I. has reported that the construction of the new kitchen is suspended temporarily by the P.W.D. pending the revision of the estimates so as to make provision of ovens, iron undahs and a chimney. The construction work has already been delayed very much. The C.I. has asked the Superintendent to request the Executive Engineer to expedite the work. No action seems necessary.

(5) Electric lights have been installed in the compound. The Inspectress has suggested that the blocks occupied by the boys should also be electrified. The C.I. has reported that the Electrical Engineer has been addressed in the matter by the Supderintendent. The C.I. may be asked to report in due course the further development.

(6) The Hony. Inspectress has stated that the latrine arrangements remains unsatisfactory and that arrangements should be made for at least 50 seats There will be 34 seats for use of the boys, including 10 seats which has been recently sanctioned. the construction of constructed. The C.I. has called for, from the Supdt., estimates for providing 14 more seats for sanction. It is reported that the question whetner the old latrines of the Alipuram Jail could be repaired and put into use for boys, is also being considered. The C.I. may be asked to report further progress in this matter.

(7) The Hony. Inspectrss suggested the system of dividing the boys into 6 groups called "houses" and says that it should be introduced in all the boys' Certified Schools. She also says the boys in all the schools should adopt the use of bags. The C.I. has reported that it is being introduced in all certified schools. No action seems called for.

(8) The Hony. Inspectress has again referred to the desirability of utilising the buildings in

X ord 4 cf

pp 3-4 cf

para 6 p 10 cf

It may be asked what further progress has been made in the matter.

CR 2/7

p 4 cf

para 7 p 10 cf

CR 2/7

p 4 cf

A ord 4 cf

para 8 p 10 cf

CR 2/7

B' ord 4 cf

pp 4-5 cf

para 9 p 11 cf

the compound of the school by transferring Telugu boys from S.C. School, Chingleput to Bellary to form a Senior Section. The Question is being separately considered in another file. No action is called for in this file.

Submitted for orders.

SR 11/6

fR. 2/7 S

BTS 13.6.38

A. The delay in these matters is most unsatisfactory & I desire to be informed if P.W. were being taken up the matter & get the work done

SR 6.7.

PW

P.W.D

Home u.o. 11777 G-2 11.7.38

Ref 'A' above. Apparently Home Secy refers to the delay in the construction of a new Kitchen. A draft memo to the C.E. asking him to report the reasons for the delay and to expedite the completion of the work is submitted. It may be issued and the file returned to Home Dept.

Home memo and return file to Home

Home

251426 G

* Copy of the memo issued be kept here for watching receipt from the C.E.

Memo No. 2972 C/38.2 21.7.38

Please see P.W.D. note at p4 ante
Ne Chief Engineer has been asked to take special steps for the speedy execution of the new kitchen of the School and to report when it will be completed. Ne C.I. may be addressed as regards paras (1), (3)(5) & (6) at pp 2-3 ante. A draft memo is submitted for consideration.

p12 Cf

SM
27/7
25.7.38

30/7

(Issued as Memo No. 11777 G-3 dt 1-8-38)

p13 Cf

-6-22

(From the C.I of Certified Schools No.1218/S2/38, dated 10th August 1938)

Please see the memo to the C.I at pp.13-14 c.f and his reply thereto at page 15 c.f.

Para 1 of the Memo on page 13 c.f:- It is now reported that the officer has been appointed since 1st June 1938.

Para 2 of the Memo:- It is now reported that the shower bath arrangements could not be worked from the water available in the Artesian well and that it could be worked out only when the Alipuram Tank gets filled.

Para 3 of the Memo:-- As regards the proposal to provide additional electric lights wherever necessary, it is reported that the necessary estimate is under preparation by the Electrical Supervisor. Necessary action may be taken when the proposal is finally received by Government.

Para 4 of the memo:- The C.I has now reported that fifteen additional seats have since been added to the general latrine and the seats are sufficient for the requirements and therefore the necessity to repair the old Alipuram latrines does not arise.

No further action is called for in this. For orders whether the papers may be recorded.

SII 19/8

VTS 19.8.38

Recd from 6.9.38

Fdr. 27/8

S

G.O/Ms.4354 dated 7.9.38

Children Act - Junior Certified School, Bellary - Hony Inspectress - Reporting Inspection - Papers recorded.